598.99
Ac1c

Cassin,

Catalogue of the caprimulgidae in the etc.,



LIBRARY
OF THE
UNIVERSITY
OF ILLINOIS

598.99
Ac1c

AUG 11 1967

Biology

Digitized by the Internet Archive
in 2011 with funding from
University of Illinois Urbana-Champaign

http://www.archive.org/details/catalogueofcapri00cass

CATALOGUE

OF THE

CAPRIMULGIDÆ

IN THE COLLECTION OF

THE ACADEMY OF NATURAL SCIENCES

OF PHILADELPHIA.

BY

JOHN CASSIN.

NOVEMBER 1, 1851.

598.99
Ac 1c Bird

Family CAPRIMULGIDÆ.

I. *Subfamily CAPRIMULGINÆ.*

1. Genus CAPRIMULGUS, Linn.

1. CAPRIMULGUS EUROPÆUS, Linn. *Syst. Nat.* i. p. 346. *Selby, Ill. Brit. Orn.* i. pl. 42.*
   Caprimulgus punctatus, *Meyer. Tasch.* i. p. 284.
   Caprimulgus maculatus, *Brehm. Vög. Deuts.* p. 131.
   Caprimulgus vulgaris, *Vieill. Faune Française* i. p. 140. *Roux, Orn. Prov.* i. p. 240, pl. 147.
   1. Adult male, France. Presented by Mr. W. S. Warder.
   2, 3, 4. Adult males, Europe, from the Rivoli collection.
   5. Male, Europe, from the same.
   6. Female, Europe, from the same.

2. CAPRIMULGUS SMITHI, Bonap. *Consp. Av.* p. 59. *A. Smith, Ill. S. Af. Zool. Aves*, pl. 102.
   "Caprimulgus europæus, Auct." *A. Smith, Ill. S. Af. Zool. Aves*, p. (No. 22.)
   "Caprimulgus capensis, Verreaux." *label on specimens from Mr. Verreaux.*
   1. Adult male, Cape of Good Hope. Presented by Mr. J. P. Verreaux.
   2. Adult female, Cape of Good Hope. Presented by the same.
   3. Female, Southern Africa. Presented by the same.

3. CAPRIMULGUS RUFICOLLIS, Temm. *Man.* i. p. 438. (1820.) *Gould, B. of Europe*, pl. 52.
   Caprimulgus rufitorquis, *Vieill. Ency. Meth.* ii. p. 546. (1823.)
   Caprimulgus rufitorquatus, *Vieill. Faune Française* i. p. 142.
   1, 2. Adults, Tangier, from the Rivoli collection.
   3. Younger, Northern Africa, from the same.

4. CAPRIMULGUS PECTORALIS, Cuvier. *Regne An.* i. p. 376. (1817.) *Le Vaill. Ois. d'Af.* i. pl. 49.
   Caprimulgus africanus, *Stephens. Gen. Zool.* x. pt. i. p. 157.
   "Caprimulgus asiaticus, Lath." *Vieill. Nouv. Dict.* x. p. 233. *Griff. Cuv.* vii. p. 75.
   1. Adult male, Cape of Good Hope, from the Rivoli collection.
   2, 3. Young males, Cape of Good Hope. Presented by Mr. J. P. Verreaux.
   4. Adult female, Cape of Good Hope. Presented by the same.
   5. Very young, Cape of Good Hope.

5. Caprimulgus rufigena, A. Smith. *Ill. Zool. S. Af. Aves*, p. (No. 22, March, 1845,) pl. 100.
   1, 2. Adult males, Cape of Good Hope. Presented by Mr. J. P. Verreaux.
   3. Adult female, Cape of Good Hope. Presented by the same.
   4. Young male, Cape of Good Hope. Presented by the same.
   5, 6. Cape of Good Hope, from the Rivoli collection.

6. Caprimulgus tristigma, Rüpp. *Neue Wirbel.* p. 105. *Syst. Ueber*, pl. 3. (*name on plate is wrong, vide p.* 14.)
   Caprimulgus lentiginosus, *A. Smith. Ill. Zool. S. Af.* pl. 101.
   1. Adult male, South Africa, from the Rivoli collection.
   2. Adult female, country of the Namaquas, South Africa. Presented by Mr. J. P. Verreaux.
   3. Young female, Cape of Good Hope.
   4. Male, Cape of Good Hope.

7. Caprimulgus poliocephalus, Rüpp. *Neue Wirbel.* p. 106.
   Caprimulgus tetrastigma, *Rüpp. Syst. Ueber*, pl. 4. (*name on plate is wrong, vide p.* 15.)
   1. Adult male, Abyssinia, from the Rivoli collection.
   2. Adult female, Abyssinia, from the same.

8. Caprimulgus natalensis, A. Smith. *Ill. Zool. S. Af. Aves*, p. (No. 22, March, 1845.) pl. 99.
   1. Adult male, Port Natal, Eastern Africa.
   2. Adult female, Port Natal.
   3. Female, Port Natal. Presented by Mr. J. P. Verreaux.

9. Caprimulgus ægyptius, Licht. *Verz. der Doubl.* p. 59, (1823.) *Temm. Pl. col.* 379.
   Caprimulgus isabellinus, *Temm. Pl. col.* iv. p. (*liv.* 64. about 1827.)
   1. Africa, from the Rivoli collection.
   2. Adult, Egypt.

10. Caprimulgus nubicus, Licht. *Verz.* p. 59. (1823.) *Rüpp. Zool. Atl.* pl. 6.
    Caprimulgus infuscatus, *Rüpp. Zool. Atlas, Vög.* p. 9, (1826.)
    1. Africa, from the Rivoli collection.

11. Caprimulgus madagascariensis, Sganzin. *Mem. Soc. d'Hist. Nat. Strasb.* iii. p. 28.
    1. Adult, Madagascar, from the Rivoli collection.
    2. Adult male? Madagascar?

12. Caprimulgus albonotatus, Tick. *Jour. As. Soc. Beng.* ii. p. 580.
    Caprimulgus nipalensis, *Hodg. Gray, Zool. Misc.* p. 82.
    Caprimulgus gangeticus, *Blyth. Ann. and Mag. Nat. Hist.* xii. p. 95. (*fide Blyth ut infra.*)

"Caprimulgus macrourus, Horsf." *Blyth. Jour. As. Soc. Beng.* xi. p. 586 (not of xiv. p. 204.)
"Caprimulgus gagateus, Strick." *Blyth. Jour. As. Soc. Beng.* xiv. p. 205.
"Caprimulgus innotatus, Hodg." *J. E. Gray. Cat. Brit. Mus. Fissirostres* p. 8.
Caprimulgus bimaculatus, *Peale. Zool. Voy. Vincennes and Peacock* p. 170.

1. Adult male, India, from Capt. Boys' collection.
2. Adult female, India, from the same.
3. Adult, India, from the Rivoli collection.
4. Adult, India.

13. CAPRIMULGUS MACRURUS, Horsf. *Trans. Linn. Soc. London*, xiii. p. 142. *Gould, B. of Aust.* ii. pl. 9.
Caprimulgus atripennis, *Jerdon. Ill. Ind. Orn.* p. (*art. Cap. indicus.*)

1, 2. Adults, Sumatra.
3, 4. Younger, Sumatra, from the Rivoli collection.
5. Adult male, Port Essington, from Mr. Gould's collection.
6. Adult female, Port Essington, from the same.

14. CAPRIMULGUS ASIATICUS, Lath. *Ind. Orn.* ii. p. 588. *Gray, Ill. Ind. Zool.* pl. 34, fig. 2.
Antrostomus californianus, *Bonap. Consp. Av.* p. 61?

1, 2. Adult, India. Presented by Mr. Thomas Ryan.
3. Adult male, India, from Capt. Boys' collection.
4. Adult, India, from the Rivoli collection.
5, 6. C. asiaticus? (smaller) India, from Capt. Boys' collection.
7. the same, India. Presented by M. Burrough, M. D.

15. CAPRIMULGUS INDICUS, Lath. *Ind. Orn.* ii. p. 588.
Caprimulgus cinerascens, *Vieill. Nouv. Dict.* x. p. 233.

1. Adult female, India, from Capt. Boys' collection.
2, 3. younger, India, from the Rivoli collection.

16. CAPRIMULGUS MONTICOLUS, Franklin. *Proc. Zool. Soc. London*, 1831, p. 116.
"Caprimulgus gymnopus, Hodg. Gray, Zool. Misc. p. 82." *Gray. Cat. Fiss.* p. 8.

1. Adult male, India, from Capt. Boys' collection.
2. Adult male, India.
3. Female, India, from the Rivoli collection.
4. Adult, India.

17. CAPRIMULGUS AFFINIS, Horsfield. *Trans. Lin. Soc. London*, xiii. p. 142.
"Caprimulgus bisignatus, Boie." *Label on specimens received from the Leyden Museum.*

1, 2. Adult, Sumatra.
3, 4. 5. Adults, from the Rivoli collection.
6. Adult female, Sumatra.
7. young, Sumatra.

18. Caprimulgus mahrattensis, Sykes. *Proc. Zool. Soc. London*, 1832, p. 83. *Gould, B. of Asia*, pl.
1. Female, India, from Capt. Boys' collection.

19. Caprimulgus jotaka, Temm. & Schleg. *Fauna Japon. Aves*, p. 37, pl. 12.
1. Male, Northern Asia.

2. Genus SCOTORNIS, Swainson.

1. Scotornis longicaudus, (Drapiez.) *Vieill. Galerie*, pl. 122.
Caprimulgus longicaudus, *Drapiez. Dict. class. d'Hist. Nat.* vi. p. 169, (1824.)
Caprimulgus climacurus, *Vieill. Gal.* i. p. 195, (1825.)
Caprimulgus longicaudis, *Stephens. Gen. Zool.* xiii. p. 89, (1825.)
1, 2, 3, 4. Adult males, Fazogloa, Eastern Africa, from the Rivoli collection.
5, 6. Females, same locality, from the same.
7, 8. Adult males, Western Africa, from Mr. Cassin's collection.

2. Scotornis trimaculatus, Swainson. *B. of West. Af.* (*Nat. Lib.*) ii. p. 70.
1. Western Africa.

3. Genus MACRODIPTERIX, Swainson.

1. Macrodipterix longipennis, (Shaw.) *Swains. B. of W. Af.* ii. pl. 5.
Caprimulgus longipennis, *Shaw. Nat. Mis.* pl. 265.
"Caprimulgus macrodipterus, Afzelius. Desc. Sierra Leone." *Swainson.* (*ut sup.*)
Macrodipteryx africanus, *Swains. B. of W. Af.* ii. p. 62.
1. Adult male, Senegal, from the Rivoli collection.
2. Young male, Western Africa, from the same.
3. Female, Senegal, from the same.
4, 5, 6. Males, Western Africa, from Mr. Cassin's collection.

II. *Subfamily STEATORNINÆ.*

1. Genus STEATORNIS, Humboldt.

1. Steatornis caripensis, Humboldt. *Nouv. Ann. du Mus. Paris*, 1834, p. 321, pl. 15.
Caprimulgus steatornis, *Humboldt. Obs. Zool.*
1. Adult male, South America, from the Rivoli collection.
2. Adult male, South America.
3. Adult female, Cayenne.

2. Genus NYCTIBIUS, Vieillot.

1. NYCTIBIUS GRANDIS, (Gm.) *Gray's Genera of Birds*, pl. 16.
Caprimulgis grandis, *Gmelin. Syst. Nat.* i. pt. ii. p. 1029.
Caprimulgus maximus, *Shaw. Mus. Lev.* pl. 33.
1. Adult, Surinam. Presented by C. Hering, M. D.
2. Adult, Cayenne, from the Rivoli collection.

2. NYCTIBIUS ÆTHEREUS, (De Wied.)
Caprimulgus æthereus, *De Weid. Reise nach Brasilien*, i. p. 236.
"Caprimulgus longicaudatus, Spix." *De Wied. Beitr. zur Nat. von Bras.* iii. p. 303.
1. Adult, South America, from the Rivoli collection.
2. Adult, South America.

3. NYCTIBIUS LONGICAUDATUS, (Spix.) *Spix, Av. Bras.* ii. pl. 1.
Caprimulgus longicaudatus, *Spix, Av. Bras.* ii. p. 1.
1. Adult, Cayenne, from the Rivoli collection.

4. NYCTIBIUS JAMAICENSIS, (Gm.) *Gosse, Ill. B. of Jamaica*, pl. 6.
Caprimulgus jamaicensis, *Gmelin. Syst. Nat.* i. pt. ii. p. 1029.
Caprimulgus griseus, *Gmelin. Syst. Nat.* i. pt. ii. p. 1029. ?
Caprimulgus cornutus, *Vieill. Nouv. Dict.*x. p. 245, (1817.)
"Caprimulgus Gouldii," *Catalogue of Rivoli Collection*, p. 17.
"Caprimulgus longicaudatus, Spix." *D'Orbigny. Guérin's Mag.* 1837, p. 67.
Nyctibius pectoralis, *Gould.* ("*Proc. Zool. Soc. London*, 1838, p. ?") *Icon. Av.* pl. 16.
Nyctibius urutau, *La Fresnaye. Guérin's Mag. de Zool.* 1837, p. 28.
1. Adult, Surinam. Presented by Constantine Hering, M.D.
2, 3. Adult, Cayenne, from the Rivoli collection.
4. Adult, Bahia.
5. younger, South America.
6. very young, Surinam. Presented by C. Hering, M.D.

5. NYCTIBIUS LEUCOPTERUS, (De Wied.) *Des Murs, Icon. Orn.* pl. 49, 50.
Caprimulgus leucopterus, *De Wied. Reise*, ii. p. 227.
1. Female, South America, from the Rivoli collection.

6. NYCTIBIUS BRACTEATUS, Gould. *Proc. Zool. Soc. London*, 1846, p. 1.
Nyctibius rufus, *Cabanis. Schomburgk Reisen Brit. Guiana*, iii. p. 711, (1848.)
1. Adult? South America.

3. Genus BATRACHOSTOMUS, Gould.

1. BATRACHOSTOMUS JAVANENSIS, (Horsf.) *Zool. Res. Java*, pl.
Podargus javensis, *Horsfield. Linn. Trans. London*, xiii. p. 141.
"Podargus cornutus, Horsf." *Temm. Pl. col.* 159.
1. Adult, Java, from the Rivoli collection.
2. Adult male, Java.

2. Batrachostomus stellatus, Gould. *Proc. Zool. Soc. London*, 1837, p. 43.
"Podargus crinifrons, Temm." *Bonap. Consp. Av.* p. 57.

1, 2. Adult males, Borneo.
3, 4. Adult females, Borneo.
5. young female, Borneo.
6. female.

3. Batrachostomus parvulus, (Bonap.) *Conspectus Avium*, p. 57.
"Podargus parvulus, Temm. Mus. Lugd." *Bonap. ut sup.*
Batrachostomus affinis, *Blyth. Jour. As. Soc. Bengal*, xvi. pt. ii, p. 1180?

1. Adult male, Indian archipelago.
2. Adult female, Indian archipelago.

4. Batrachostomus auritus, (Vig.) *Gould, Icones Av.* pl.
Podargus auritus, *Vigors. Griffith's Cuv.* vii. p. 114, (1829.) *Mem. Raffles App.* p. 652, (1830.)
Bombycistomas Fullertonii, *Hay. Jour. As. Soc. Beng.* 1841, p. 574.

1. Adult, Malay Archipelago. Presented by Mr. Thomas Ryan.
2. Adult male, Malacca.

4. Genus LYNCORNIS, Gould.

1. Lyncornis Temminckii, Gould. *Icones Avium*, p. pl. (1838.)
"Caprimulgus imberbis, Temm." *Gould ut sup.*
Caprimulgus pulcher, *Hay. Madras Jour. Lit. & Sci.* xiii. p. 161, (1845.)

1, 2. Adult males, Borneo.
3. Adult female, Borneo.
4. Adult female.

III. *Subfamily PODARGINÆ.*

1. Genus PODARGUS, Cuvier.

1. Podargus humeralis, Vig. and Horsf. *Linn. Trans. London*, xv. p. 198. *Gould B. of Aust.* ii. pl. 3.
Podargus australis, *Stephens. Gen. Zool.* xiii. p. 92, (part ii.)?
Caprimulgus gracilis et strigoides, *Lath. Ind. Orn. Supp.* p. 58?
Caprimulgus podargus, *Dumont. Dict. des Sci. Nat.* xiv. p. 504?
Podargus cinereus, *Vieill. Nouv. Dict.* xxvii. p. 151?

1, 2. Adult males, Australia, from Mr. Gould's collection.
3. Adult female, Australia, from the same.
4, 5. Adults, Australia, from the Rivoli collection.
6. very young, Australia.

2. Podargus Cuvieri, Vig. and Horsf. *Linn. Trans. London*, xv. p. 200. *Gould, B. of Aust.* ii. pl. 4.

1. Adult male, Van Diemen's Land, from Mr. Gould's collection.
2. Adult male, Australia, from the same.
3, 4. Adult females, Van Diemen's Land, from the same.
5, 6. young, Van Diemen's Land, from the same.

3. Podargus megacephalus, (Lath.)
Caprimulgus megacephalus, *Latham. Index Orn. Supp.* p. 58.
"Podargus Stanleyanus, Lath. MSS." *Vig. & Horsf. Linn. Trans. London*, xv. p. 197.

1, 2. Adults, Australia, from Mr. Gould's collection.

4. Podargus phalænoides, Gould. *Proc. Zool. Soc. London*, 1839, p. 142. *B. of Aust.* ii. pl. 5.

1, 2. Adult males, Port Essington, from Mr. Gould's collection.
Adult female, Port Essington, from the same.

5. Podargus brachypterus, Gould. *Proc. Zool. Soc. London*, 1840, p. 163.

1. Adult male, Australia, from Mr. Gould's collection.
2. Adult female, King George's Sound, from the same.
3, 4. Adults, Port Lincoln, from the same.
5. Adult, Swan River, from the Rivoli collection.

6. Podargus plumiferus, Gould. *Proc. Zool. Soc. London*, 1845, p. 104. *B. of Aust.* ii. pl. 6.

1. Adult male, Australia, from Mr. Gould's collection.
2. female? Australia, from the same.

7. Podargus papuensis, Quoy and Gaim. *Voy. Astrolabe, Zool.* i. p. 207. *Ois.* pl. 13.

1. Adult, Cape York.

2. Genus ÆGOTHELES, Vig. & Horsf.

1. Ægotheles novæ-hollandiæ, (Lath.) *Gould, B. of Aust.* ii. pl. 1.
Caprimulgus novæ-Hollandiæ, *Latham. Ind. Orn.* ii. p. 588.
Caprimulgus vittatus, *Latham. Ind. Orn. Supp.* p. 58.
Caprimulgus cristatus, *Shaw. White's Voy.* p. 241, pl. 29.
Ægotheles australis, *Swainson. Cab. Cy. Birds*, ii. p. 338.
Ægotheles lunulatus, *Jard. & Sel. Ill. Orn.* pl. 149.

1, 2. Adult males, Australia, from Mr. Gould's collection.
3. Adult female, Australia, from the same.
4. Adult female, Van Diemen's Land, from the same.
5. young female, Australia, from the same.
6. female, Australia, from the Rivoli collection.
7. young male, Australia, from the same.
8. young male, Van Diemen's Land.
9. Adult, Australia.

2. ÆGOTHELES LEUCOGASTER, Gould. *Proc. Zool. Soc. London*, 1844, p. 106. *B. of Aust.* ii. pl. 2.

1. Adult male, Port Essington, from Mr. Gould's collection.
2. Adult female, Port Essington, from the same.

IV. *Subfamily CHORDEILINÆ.*

1. Genus CHORDEILES, Swainson.

1. CHORDEILES VIRGINIANUS, (Briss.) *Aud. B. of Am.* pl. 147.
Caprimulgus virginianus, *Brisson. Orn.* ii. p. 477.
Caprimulgus americanus, *Wilson. Am. Orn.* v. p. 65, pl. 40.
Caprimulgus popetue, *Vieillot. Ois. d'Am. Sept.* i. p. 56, pl. 34.

1. Adult male, Chester county, Pennsylvania. Presented by J. K. Townsend, M. D.
2. Adult female, same locality. Presented by the same.
3, 4. Adult males, near Philadelphia.
5, 6, 7. Adults, North America, from the Rivoli collection.
8. Young male, Mexico, from the same.
9. Younger, Bogota? from the same.
10. female, Nicaragua, from M. de Barueil's collection.

2. CHORDEILES BRASILIANUS, (Gm.)
Caprimulgus brasilianus, *Gmelin. Syst. Nat.* i. pt. ii. p. 1031.
Caprimulgus variegatus et noitibo, *Vieill. Nouv. Dict.* x. p. 238, 241.
"Caprimulgus jaspideus, Merrem," *Bonap. Consp. Av.* p. 61.
"Caprimulgus Guianensis, Linn," *Sonnini. Voy. Azara*, (French ed. 1809,) iv. p. 120.
"Caprimulgus semitorquatus, Linn. Gm. Lath," *De Wied. Beit.* iii. p. 330.

1. Adult, Cayenne, from the Rivoli collection.
2. Adult male, Columbia.
3. Female, South America, from the Rivoli collection.
4. Male, South America, from the same.
5, 6. Adults, Nicaragua, from M. de Barueil's collection.

3. CHORDEILES ACUTIPENNIS, (Bodd.) *Buff. Pl. Enl.* 732.
Caprimulgus acutipennis, *Boddaert. Tab. Pl. Enl.* p. 46, (1783.)
Caprimulgus acutus, *Gmelin. Syst. Nat.* i. pt. ii. p. 1031.
Caprimulgus pruinosus, *Tschudi. Av. Consp.* p. 8. *Faun. Per. Aves.* pl. 6.
Caprimulgus exilis, *Lesson. Rev. Zool.* 1839, p. 44. *Comp. aux Œuv. de Buff.* xx. p. 258.
Chordeiles labeculatus, *Jardine. Ann. & Mag. Nat. Hist.* 1846, p. 118.
"Caprimulgus semitorquatus, Linn. Gm. Pr. Max," *Tschudi. Faun. Per. Orn.* p. 21.
Chordeiles peruvianus, *Peale. Zool. Voy. Vincennes and Peacock*, p. 172.

1, 2. Adult males, Peru.
3. Younger male, Peru.
4, 5. South America, from the Rivoli collection.
6. Adult, Guayaquil. Presented by W.S.W. Ruschenberger, M. D., U. S. Navy.

4. Chordeiles rupestris, (Spix.) *Spix, Av. Bras.* ii. pl. 2.
Caprimulgus rupestris, *Spix. Av. Bras.* ii. p.
1. Male, Rio Negro, South America.
2. Female, Rio Negro, South America.
3. very young, same locality.

5. Chordeiles sapiti, Bonap. *Cons. Av.* p. 63.
"Caprimulgus sapiti, Natter. Mus. Vindobonens." *Bonap. (ut sup.)*
1, 2. Adults? South America.

2. Genus LUROCALIS, Cassin.

1. Lurocalis Nattererii, (Temm.) *Temm. Pl. Col.* 107.
Caprimulgus Nattererii, *Temm. Pl. Col.* ii. (liv. 18.)
"Caprimulgus brachyurus, Mus. Berol," *Erman. Reise, Verz.* p. 16.
1. Adult, South America, from the Rivoli collection.
2. Adult, South America. Presented by M. Burrough, M.D.
3. Adult, Brazil.

2. Lurocalis semitorquatus, (Gm.) *Buff. Pl. Enl.* 734.
Caprimulgus semitorquatus, *Gmelin. Syst. Nat.* i. pt. ii. p. 1031.
Podager Gouldii, *G. R. Gray. Gen. of Birds*, pl. 18.
1. Adult, Cayenne, from the Rivoli collection.
2. Adult, Demarara, from Mr. Cassin's collection.

3. Leurocalis leucopygus, (Spix.) *Av. Bras. Aves.* pl. 3, fig. 2.
Caprimulgus leucopygus, *Spix. Av. Bras. Aves.* p. 3.
Chordeiles minutus, *Bonap. Consp. Av.* p. 63.
1. Adult, Brazil, from the Rivoli collection.
2. Adult, Rio Negro.

3. Genus EUROSTOPODUS, Gould.

1. Eurostopodus albogularis, (Vig. & Horsf.) *Gould, B. of Aust.* ii. pl. 7.
Caprimulgus albogularis, *Vig. & Horsf. Linn. Trans. London*, xv. p. 194.
Caprimulgus mysticalis, *Temm. Pl. Col.* 410.
Caprimulgus albomaculatus, *Cuv.*
1. Adult male, Moreton bay, Australia, from Mr. Gould's collection.
2, 3. Females, same locality, from the same.
4, 5. Australia, from the Rivoli collection.

UNIVERSITY OF ILLINOIS

2. EUROSTOPODUS GUTTATUS, (Vig. & Horsf.) *Gould, B. of Aust.* ii. pl. 8.

Caprimulgus guttatus, *Vig. & Horsf. Linn. Trans. London*, xv. p. 192.

1, 2, 3. Males, Australia, from Mr. Gould's Collection.
4. Female, same locality from the same.
5. Young female? same locality, from the same.
6. Very young, Port Essington, from the same.
7. Adult, Australia, from the Rivoli collection.
8. Adult, Australia.

V. *Subfamily NYCTIDROMINÆ.*

1. Genus NYCTIDROMUS, Nuttall.

1. NYCTIDROMUS AMERICANUS, (Linn.) *Sloan, Nat. Hist. Jamaica*, ii. p. 296, pl. 255, f. 1.

Caprimulgus americanus, *Linn. Syst. Nat.* i. p. 346, (1766.)
Caprimulgus jamaicensis, *Briss. Orn.* ii. p. 480.
Caprimulgus albicollis, *Gmelin. Syst. Nat.* i. pt. ii. p. 1030.
"Caprimulgus albicollis, Gm." *Hartlaub. Syst. Index zu Azara*, p. 20, (*Bremen*, 1847.)
"Caprimulgus albicollis, Linn. Gm. Lath. Vieill." *D'Orbigny. Guerin's Mag.* 1837. *p.* 67.
"Caprimulgus albicollis, Gm." *Lath. Gen. Hist.* vii. p. 359.
Caprimulgus laticaudatus, *Drapiez. Dict. Class. Hist. Nat.* vi. p. 169, (1824.)
Nyctidromus Derbyanus, *Gould. Icones Avium*, part ii. p. pl. 2, (1838.)

1, 2. Adults, South America. from the Rivoli collection.
3. Adult, Mexico, from Mr. Pease's collection.
4. Nearly adult, South America, from Mr. Cassin's collection.
5. Male, Nicaragua, from M. de Bareuil's collection.

2. NYCTIDROMUS GUIANENSIS, (Gm.) *Buff. Pl. Enl.* 733.

Caprimulgus guianensis, *Gmelin. Syst. Nat.* i. pt. ii. p. 1030.
"Caprimulgus albicollis, Linn. Gmel." *De Wied. Beitr.* iii. p. 318.
"Caprimulgus albicollis, Gm." *Lath. Index Orn.* ii. p. 585.

1. Adult male, Cayenne, from the Rivoli collection.
2. Younger male, Cayenne, from the same.
3. Female, Cayenne, from the same.
4, 5. Adult males, South America.
6. Younger, Surinam. Presented by C, Hering, M. D.

3. NYCTIDROMUS GRALLARIUS, (Bonap.) *Consp. Av.* p. 62.

"Caprimulgus grallarius, Wied." *Bonap. ut sup.*
1, 2. Adult males, Bogota.
3. Female, South America.

2. Genus HYDROPSALIS, Wagler.

1. HYDROPSALIS TORQUATUS, (Gm.) *Temm. Pl. col.* 157, 158.
   Caprimulgus torquatus, *Gmelin. Syst. Nat.* vol. i. pt. ii. p. 1032.
   Caprimulgus brasiliensis, *Brisson. Orn.* ii. p. 481.
   Caprimulgus furcifer, *Vieill. Nouv. Dict.* x. p. 242.
   "Caprimulgus psalurus, Azara." *Temm. Pl. col.* iv. p. (27 liv.)
   "Caprimulgus fissicaudus, Merrem." *Gray. Cat. Brit. Mus. Fissiros.* p. 10.
   "Caprimulgus grandis, Linn. Gm." *Lichtenstein. Verzeichniss,* p. 58.
   Hydropsalis Azaræ, *Wagler. Isis,* 1832, p. 1222.
   Psalurus macropterus, *Swains. Cab. Cy. Birds* ii. p. 339.
   1, 2. Adult males, South America, from the Rivoli collection.
   3, 4. Adult females, Brazil, from the same.

2. HYDROPSALIS LIMBATUS, Cassin. *Proc. Acad. Philada.* Oct. 1849.
   Hydropsalis creagra, *Bonap. Consp. Av.* p. 58, (1850.)?
   1. Adult male, South America, from the Rivoli collection.
   2. Younger male, South America, from the same.
   3. Female or young male, South America.

3. HYDROPSALIS SEGMENTATUS, Cassin. *Proc. Acad. Philada.* Oct. 1849.
   1. Male, Bogota, New Grenada, from the Rivoli collection.
   2. Female, Bogota, New Grenada, from the same.
   3. Male, South America.

4. HYDROPSALIS LYRA, Bonap. *Consp. Av.* p. 59, (1850.)
   "Hydropsalis lyra, Gould." *Bonap. ut sup.*
   1. Adult male, Bogota.
   2. Young male? South America.

5. HYDROPSALIS CLIMACOCERCUS, (Tsch.) *Fauna Peru. Aves,* pl. 6. fig. 1.
   Caprimulgus climacocercus, *Tschudi. Wiegm. Archiv.* 1844, p. 269.
   1. Female, Guiana.

3. Genus STENOPSIS. Cassin.

1. STENOPSIS CAYENNENSIS, (Gm.) *Buff. Pl. Enl.* 760.
   Caprimulgus cayennensis, *Gmelin. Syst. Nat.* i. pt. ii. p. 1031.
   Caprimulgus leucurus, *Vieill. Nouv. Dict.* x. p. 246.
   Caprimulgus cayanus, *Lath. Index* ii. p. 587.
   Caprimulgus leopetes, *Jard. and Sel. Ill. Orn.* ii. pl. 87.
   Caprimulgus odontopteron, *Lesson. Rev. Zool.* 1839, p. 105. *Comp. aux Œuv. Buff.* xx. p. 260.
   Caprimulgus enicurus, *Vieill. Nouv. Dict.* x. p. 243 ?
   Hydropsalis trifurcatus, *Natt. Tschudi, Fauna Per. Orn.* p. 129?
   1, 2. Adult males, Cayenne, from the Rivoli collection.
   3. Female, South America, from the same.
   4. Male, South America. Presented by C. Herring, M. D.

2. Stenopsis longirostris, (Bonap.) *Tschudi, Faun. Per. Aves.* pl. 5, fig. 1.

Caprimulgus longirostris, *Bonaparte. Journ. Acad. Philada.* iv. p. 384, (1825.)

Caprimulgus bifasciatus, *Gould. Proc. Zool. Soc. London*, 1837, p. 22.

Caprimulgus decussatus, *Tschudi. Consp. Av.* p. 8.

1. Male, South America, from the Rivoli collection.
2. Female, South America, from the same.
3. Female, South America.

3. Stenopsis parvulus, (Gould.)

Caprimulgus parvulus, *Gould. Proc. Zool. Soc. London*, 1837, p. 22.

Caprimulgus æquicaudatus (♂) et conterminus, (♀), *Peale. Zool. Voy. Vincennes and Peacock*, p. 168, 169.

1, 2. Males, South America.
3. Female, South America.

4. Stenopsis nigrescens, (Cabanis.) *Gray's Genera*, pl. 17.

Caprimulgus nigrescens, *Cabanis. Schomburgk, Reisen in Brit. Guiana*, iii. p. 710.

"Caprimulgus semitorquatus, Gm." *Gray. Gen. ut sup.*

1. Adult, South America.

5. Stenopsis hirundinaceus, (Spix.) *Av. Bras.* ii. pl. 3, fig. 1?

Caprimulgus hirundinaceus, *Spix. Av. Bras.* ii. p. 2?

1. Young, Cayenne, from the Rivoli collection.

4. Genus PODAGER, Wagler.

1. Podager nacunda, (Vieill.) *Temm. Pl. col.* 182.

Caprimulgus nacunda, *Vieill. Nouv. Dict.* x. p. 240.
Caprimulgus campestris, *Licht. Verzeichniss*, p. 59.
Caprimulgus diurnus, *De Wied. Reise*, ii. p. 174.

1, 2, 3. Adults, South America, from the Rivoli collection.

5. Genus ANTROSTOMUS, Gould.

1. Antrostomus carolinensis, (Gm.) *Aud. B. of Am.* pl. 52.

Caprimulgus carolinensis, *Gmelin. Syst. Nat.* i. pt. ii. p. 1028.
Caprimulgus lucifugus, *Bartram. Trav.* p. 292.
Caprimulgus rufus, *Vieill. Ois. d'Am.* Sept. i. p. 57, pl. 25.
Caprimulgus brachypterus, *Stephens. Gen. Zool.* x. pt. i. p. 150.

1. Adult, South Carolina. Presented by William Blanding, M. D.
2. Adult, North America, from the Rivoli collection.
3. Adult, Florida. Presented by E. A. Abadie, M. D., U. S. Army.

2. Antrostomus rufus, (Bodd.) *Buff. Pl. Enl.* 735.

Carprimulgus rufus, *Boddaert. Tab. Pl. Enl.* p. 46, (1783.
Caprimulgus rufus, *Gmelin. Syst. Nat.* vol. i. pt. ii. p. 1030, (1788.)

1. Adult, South America?

3. Antrostomus serico-caudatus, Cassin. *Proc. Acad. Philada.* Oct. 1849.

1. Adult, South America.
2. Younger, South America, from the Rivoli collection.

4. Antrostomus vociferus, (Wilson.) *Wilson, Am. Orn.* pl. 41.

Caprimulgus vociferus, *Wilson. Am. Orn.* v. p. 71.
Caprimulgus clamator, *Vieill. Nouv. Dict.* x. p. 234, (1817.)
Caprimulgus macromystax, *Wagler. Isis.* 1831, p. 533?
"Caprimulgus Virginianus, Linn., Gm." *Vieill. Ois d'Am. Sept.* i. p. 55, pl. 23, (1807.)

1. Adult male, near Philadelphia. Presented by J. K. Townsend, M. D.
2. Adult female, near Philadelphia, presented by the same.
3. Adult female, near New York.
4. Female, near New York.
5. A. macromystax? Vera Cruz. Presented by M. Burrough, M. D
6. The same, Mexico.

5. Antrostomus Nuttalii, [Aud.) *Audubon, B. of Am. Octavo edition,* pl. 495.

Caprimulgus Nuttalii, *Audubon. Orn. Biog.* v. p. 335.

1. Adult, Rocky Mountains. Presented by Mr. J. J. Audubon.

6. Antrostomus ocellatus, (Tsch.) *Fauna Peruana, Orn.* pl. 5. fig. 2.

Caprimulgus ocellatus, *Tschudi. Wiegmann, Archiv.* 1844, p. 268.
"Caprimulgus brasilianis, Linn. Gm. Prinz Max." *Tsch. Faun. Per. Orn.* p. 20.

1. Adult, South America.
2. Adult, male, Brazil.
3. Adult, Brazil.

UNIVERSITY OF ILLINOIS-URBANA
598.99AC1C C001
CATALOGUE OF THE CAPRIMULGIDAE IN THE CO
3 0112 010232905